

design

Team Interior Solutions

B - 399, Pocket III, Bindapur DDA Flat, Dwarka, Delhi - 110059

Customer Care : +91 - 9560506295

Website: www.teaminteriorsolutions.com

Email: teaminteriorsolution@gmail.com



design integrating
and excellence



contents

COMPANY OVERVIEW - FORGING AHEAD	1
QUALITY THAT SPEAKS	2
RYKA - RESTROOM CUBICLES	5
•NEXUS EVO	6
•NEXUS CANVAS	10
•NEXUS GRAND	14
•CARLTON PRIME	18
•CARLTON PRISTINE	22
AURUM FACADE - CREATING BEAUTIFUL SPACE	27
ARCK - MIXING BUSINESS WITH PLEASURE	36
TRUE COLOURS	40
OUR CLIENTS	41



team interior solutions forging ahead

TEAM INTERIOR SOLUTIONS is an emerging Interior Solutions giant quickly spiralling to be one of Asia's fastest growing company in this segment. Conceived a few years ago, TEAM INTERIOR SOLUTIONS is making a name in delivering quality products that promise to perform and excel. Already, it has created a mark and received appreciation.

TEAM INTERIOR SOLUTIONS has earned its name, trust & reliability by firm commitment and hope to build an organization that would be known for its ethics and professionalism with a global impact. We also believe that behind our success lies the undying efforts and dedication of our highly trained staff who share our belief about the superiority of our products.

TEAM INTERIOR SOLUTIONS offers **Ryka** restroom cubicles, **Aurum** facades, **Arck** school and office furnitures with spectacular looks.

Quality that Speaks

TEAM INTERIOR SOLUTIONS is an amazing mix of restroom cubicles, facades, school and office furniture products available in High Pressure Compact Laminate (HPL), which are widely used for commercial applications and heavy traffic areas i.e. Airports, Shopping Malls, Educational Institutes, Laboratories, Hospitals and public areas, etc.

Ryka restroom cubicle is engineered indigenously and performs really well under high moisture and high humid conditions. With a unique product composition, it is extremely suitable for Indian climatic conditions where toughness, performance and strong visual

appeal are equally essential. Besides providing a plethora of designs and distinguishing features available in various styles.

TEAM INTERIOR SOLUTIONS offers guaranteed customer satisfaction and makes sure that the extensive range of products are available for timely delivery, distribution and installation by our competent technicians. We offers 1 year after sales service on components and 10 years warranty on our high pressure compact laminate against any manufacturing or moisture related defect.

- HPL provided in accordance with IS-2046
- Made by using excellent quality high pressure compact laminates
- Exclusive raw silk finish available
- Built with nylon polyamide, stainless steel and aluminium hardware fittings
- Available in regular and customized fittings to cater to the needs of physically disabled people
- Available in various sizes, shapes and colour hues
- Designed for better durability & performance
- Hygienic and low maintenance
- Restroom cubicles fittings as per children needs
- Designer cubicles aesthetically inclined



features

advantage



Hygienic and easy to maintain



Resistant to harmful germs and cleaning agents



Noise absorbing system to avoid disturbing "door banging" sound



Wide spectrum of colours to choose from



Resistant to cigarette burns



High quality Compact Laminates manufactured as per international standards



High wear and abrasion resistance



Manufactured in strict adherence to accepted fire safety norms



Best in class International accessories



Equipped with emergency opening provisions



Exceptional water, humidity and high temperature resistance

wet vs. dry restroom system

Why prefer a dry restroom system

TEAM INTERIOR SOLUTIONS provides a **Ryka** restroom system that is in a league of its own because of the following:

Disadvantages of a wet system


- Cleaning the floor is difficult
- Porous surfaces cause dust, stains and grime to settle in
- Tile designs get defunct and are tough to change
- Pungent smell sticks to porous grout designs
- Loss of space - Usage of 6'x6" thick walls result in loss of 3 sq.ft. area per partition
- Load of building is high
- No means of natural ventilation is provided

Advantages of dry system

- Economy of space - The compact panel are space saving due to 12mm thick as compared to 150mm thick brick wall
- Economy of load - Partitioning systems reduces the load on building as compared to the usage of brick wall
- Low setup time - 5 cubicles in a day
- Neatness - No wet work is involved
- Proper air ventilation access is provided in the designs
- Easy floor cleaning - Absence of corners doesn't let the dust accumulate on the floor
- Wide range available in different colours and patterns

material composition

Compact Laminate Construction



ryka restroom cubicles






nexus
evo




Stainless Steel Adjustable Foot



Privacy Indicator



Stainless Steel
Top Rail Corner Connector




Privacy Thumb Turn




Team Interior Solutions brings Nexus Evo, simple yet elegant and contemporary looking fittings that add a touch of charm to toilets. In this most widely used stainless steel, hardware comes embellished with the sturdiness of high pressure 12mm thick compact Laminate. It gives standard adjustable foot along with stainless steel top rail for additional toughness. The ancillary hardware like the hinges, locks, door knobs and coat hooks are also stainless steel. No wonder, it is the ideal option for heavy footfall areas where functionality is of utmost importance.



ENCLOSED UNIT




FRONT VIEW




TOP VIEW

CORNER UNIT



FRONT VIEW




TOP VIEW

HARDWARE ASSEMBLY DETAILS

The adjustable foot that supports the panels is made from stainless steel (Grade 304) and its base is anchored to the floor with nylon plugs, inserted into floor with stainless steel screws. Stainless steel U-channels are attached with the divider panel to the wall as well as the mid panel. There is a floor clearance of 150 mm. Stainless steel top rail with panel holder is used to fix the panels at the top thru panel holder and wall bracket. Stainless steel corner connectors are provided for imparting extra support to the restroom cubicle of corner unit system. Further, doors are incorporated with the noise absorbing tape to reduce the noise effect.

Hardware Overview

Each restroom cubicle is equipped with the following set of hardware fittings:



Dimension Parameters

Standard Dimensions	General (mm)	Physically Challenged (mm)
Width of cubicle	1000	1500
Depth of cubicle	1500	1750
Height of entire cubicle	2025	2025
Width of door	600	900
Height of door	1830	1830
Ground clearance	150	150


- Note:
- Evo model comes with stainless steel round and box type top rail (Grade 304) arrangement
 - On special demand overall height of Evo model restroom cubicle can be increased upto 2100 mm
 - On special demand adjustable foot can be provided in SS grade - 316



nexus canvas




Stainless Steel Shoe Box



Stainless Steel Gravity Hinge



Top Rail & Panel Holder




Privacy Thumb Turn


Another fabulous offering from Team Interior Solutions, the Nexus Canvas collection is developed from 12mm thick high pressure compact Laminate to give unmatched durability and lasting value besides great aesthetics. Additionally, there is a stainless steel top rail for extra strength, stability and durability. This shoe box model is an upgrade of the standard adjustable foot with a cleaner stainless steel box located at the bottom to provide a clean line design. Rest of the hardware like hinges, locks, door knobs and coat hooks are also undoubtedly stainless steel. A perfect selection for your restroom space!



ENCLOSED UNIT




FRONT VIEW




TOP VIEW

CORNER UNIT



FRONT VIEW





TOP VIEW

HARDWARE ASSEMBLY DETAILS

All panels are supported by L-bracket with floor anchor bolt. The L-bracket is concealed with stainless steel flat shoe box upto 100 mm height. The stainless steel shoe box is available in SS Grade 304 and 316 options. The divider panels are fixed onto the wall with stainless steel (Grade 304) U-channel section and SS Grade 304 screw inserts. Further all panels are fixed with a stainless steel (Grade 304) top rail at the top and doors are incorporated with the noise absorbing tape to reduce the noise effect.

Hardware Overview

Each restroom cubicle is equipped with the following set of hardware fittings:



Dimension Parameters

Standard Dimensions	General (mm)	Physically Challenged (mm)
Width of cubicle	1000	1500
Depth of cubicle	1500	1750
Height of entire cubicle	1885	1885
Width of door	600	900
Height of door	1710	1710
Ground clearance	110	110

- Note:
- Canvas (12 mm shoe box) models comes with stainless steel (Grade 304) top rail arrangement
 - Canvas (12 mm shoe box) model can also be provided with aluminium top rail arrangement
 - Shoe box model is available in two options-stainless steel Grade 304 and 316
 - On special demand, overall height of restroom cubicle can be increased upto 2100 mm



nexus
grand



Aluminium Top Rail



Stainless Steel Gravity Hinge



Privacy Thumb Turn




Stainless Steel Adjustable Foot


Here's to higher endurance integrated with a fabulous design. Nexus Grand is a utopian restroom series from Team Interior Solutions that provides unflinching value for money with stupendous benefits. Engineered with 12mm thick high pressure Compact Laminate, this model is an amalgamation of stainless steel hardware with extruded anodized aluminum top rail and fixing channels. A definite 'yes' for people who look for a remarkable restroom space that has created a niche for itself in the international market for its cost effective yet unmatched quality.



ENCLOSED UNIT




FRONT VIEW




TOP VIEW

CORNER UNIT



FRONT VIEW




TOP VIEW

HARDWARE ASSEMBLY DETAILS

The adjustable foot that supports the panels is made from stainless steel (Grade 304) and its base is anchored to the floor with nylon plug, fixed into floor with stainless steel screws. There is a floor clearance of 150 mm. Aluminum U-channels are used to attach with the divider panels to the wall as well as the mid panel with stainless steel (Grade 304) screw inserts. Aluminum top rail anodized in stainless steel colour is used to fix the panels at the top. Doors are incorporated with the noise absorbing tape to reduce the noise effect. All other fittings like hinges, coat hook, adjustable foot and lock set/latch indicator is provided in stainless steel.

Hardware Overview

Each restroom cubicle is equipped with the following set of hardware fittings:



Dimension Parameters

Standard Dimensions	General (mm)	Physically Challenged (mm)
Width of cubicle	1000	1500
Depth of cubicle	1500	1750
Height of entire cubicle	1995	1995
Width of door	600	900
Height of door	1785	1785
Ground clearance	150	150


- Note:
- Grand model come with stainless steel adjustable foot (Grade 304)
 - Top rail arrangement available in anodized aluminum
 - Grand model can be provided with adjustable foot in two options- stainless steel Grade 304 and 316




carlton prime



Powder Coated Aluminium Top Rail



Door Knob & Privacy Indicator



Powder Coated Aluminium
Door Stopper Channel



Nylon Coated Adjustable Foot

Presenting Carlton Prime, a breathtaking mix of serenity and simplicity at its best. This series is a contemporary take on restroom cubicles that are easy to install and maintain. Reflecting aesthetics in design, this model is topped with extruded powder coated aluminum top rail and polyamide hardware for a clean cut look. Its intermediate panel comprises of one undivided piece with no joints in between. All pilasters as well as doors are 12mm thick with chamfered edges. Looking for minimalism and durability, then Prime is your ideal choice.



HARDWARE COLOUR RANGE




Black


Grey

Cream

ENCLOSED UNIT




FRONT VIEW




TOP VIEW

CORNER UNIT



FRONT VIEW





TOP VIEW

HARDWARE ASSEMBLY DETAILS


The adjustable foot that supports the pilasters is made from corrosion resistant nylon (Polyamide-6) and its base is anchored to the floor with nylon plug inserted into ground with stainless steel screws. There is a ground clearance of 150 mm. Aluminum U-channels are used to attach the divider panel with stainless steel (Grade-304) screw inserts to the wall as well as the mid panel. Aluminum top rail (Grade 6063-T5 Alloy) is used to fix the pilasters at the top. Door stopper channel provides the non-rebating doors and connecting panels with extraordinary look. Further the doors are incorporated with the noise absorbing tape to reduce the noise effect.

Hardware Overview

Each restroom cubicle is equipped with the following set of hardware fittings:




POWDER COATED ALUMINUM U-CHANNEL



POWDER COATED ALUMINUM TOP RAIL



NYLON POLYAMIDE COAT HOOK



NYLON POLYAMIDE THUMB-TURN WITH INDICATOR



NYLON POLYAMIDE DOOR KNOB




NYLON COATED GRAVITY HINGE



NYLON COATED ADJUSTABLE FOOT



POLYAMIDE TOP RAIL END CAP




POWDER COATED ALUMINIUM DOOR STOPPER CHANNEL

Dimension Parameters


Standard Dimensions	General (mm)	Physically Challenged (mm)
Width of cubicle	1000	1500
Depth of cubicle	1500	1750
Height of entire cubicle	1995	1995
Width of door	600	900
Height of door	1785	1785
Ground clearance	150	150



carlton
pristine




Aluminium Half Round Pole



Door Knob & Privacy Indicator



Nynol Lock Set




Nylon Coat Hook


Style, stability and endurance, Carlton Pristine is the answer for renovation projects that want to go with existing intermediate walls. This model needs only door requirements and therefore, fits perfectly with pre-existing intermediate brick walls. So now, replace the traditional used door setup and create modern looking masonry walls and Lo Behold! You have an entirely brand new bathroom. This model is available in 12mm thick Compact Laminate doors in varied colours and patterns along with nylon and polyamide fittings.



HARDWARE COLOUR RANGE



Black




Grey




Cream

ENCLOSED UNIT



FRONT VIEW





TOP VIEW

HARDWARE ASSEMBLY DETAILS

Doors are supported by a 31mm diameter half round aluminum vertical pole. Hardware fittings are made of nylon polyamide (Grade-6) material. Aluminum half round vertical poles are fixed to the wall with stainless steel (Grade-304) screws and wall plugs. Aluminum vertical poles are incorporated with the noise absorbing tape to reduce the noise effect. Further, doors are attached to the poles by an arrangement of hinge adaptors and hinges.

Hardware Overview


Each restroom cubicle is equipped with the following set of hardware fittings:



ALUMINUM HALF ROUND POLE



NYLON POLYAMIDE COAT HOOK



NYLON POLYAMIDE DOOR KNOB



NYLON POLYAMIDE THUMB-TURN WITH INDICATOR




NYLON COATED GRAVITY HINGE WITH ADAPTER

Dimension Parameters


Standard Dimensions	General (mm)	Physically Challenged (mm)
Door width of cubicle	600-900	As this model uses door applications only, the dimensions for physically challenged setup will depend on the site's walls
Height of entire cubicle	1980	
Height of door	1830	
Ground clearance	150	150

closet urinal panels

TEAM INTERIOR SOLUTIONS changes the way you define your restrooms with the vibrant hues of Closet Urinal panel coupled with rust resistant stainless steel clamps. Packed with superior product features to provide greater privacy and hygiene to the users. The urinal partition is manufactured using 12mm thick Compact Laminate, it provide a cleaner and well structured look to your restroom area. It has chamfered edges with no joints in between which gives a clean and elegant look to restroom space.



aurum – facade exterior & interior



DIMENSIONS

- ◆ Total Height: 1200 mm
- ◆ Depth: 500 mm
- ◆ Gap from ground floor: 500 mm

HARDWARE FIXING DETAILS

Each panel is equipped with Stainless steel L-clamp or U-channel to attach the panel along with SS-304 grade screws and these are used to fix the urinal partitions on the wall.



Stainless Steel L-Clamp



U-Channel

Creating Beautiful Space

Aurum Exterior & Interior Facade

TEAM INTERIOR SOLUTIONS brings Aurum Facades to architects and clients. In beautiful forms, vibrant colours, outstanding craftsmanship and facades from TEAM INTERIOR SOLUTIONS all go hand in hand. Aurum Facades are panels made from laminates compressed under great pressure and high temperature and treated with double hardened acrylic PUR resins that unflinching provide extremely effective all year round weather protection. Especially in such varying weather conditions as in India.



Aurum Facades can be used in any of the following places

- Rear ventilated facades
- Exterior Façades
- Balcony Facades
- Partitions
- Railings
- Fences
- Attic Facades
- Ceilings
- Outdoor furniture
- Public facilities
- Playground facilities
- Sports facilities
- Sun protection
- Awnings
- Business entry portals
- Functional constructions



TEAM INTERIOR SOLUTIONS FACADES – THE BIG PICTURE

Cost Effectiveness

Sustainable and long-term construction requires cost effective solutions. Team Interior Solutions Facades are just that! Long service life, lengthy maintenance intervals and the recyclable components are essential to a Façades that stands the economy of time.

Non-Volatile Costing Parameters

Team interior Solutions provides costing parameters that are exact and stable be it new or in case of renovations.

Key points of Construction

- Material should not be exposed to water during construction and installation. Therefore, the panels must always be able to dry out.
- Connections of facades panels to one another always have to be made in the same panel direction.
- Facades can show deviations from being flat (see EN 438-6, 5.3), and this is to be compensated for by the sub-construction being executed so that it is stable and flat.
- All connections to other components or to the background must be executed firmly.
- Elastic intermediate spacers to the sub-construction elements that permit a greater tolerance than +0.5 mm must definitely be avoided.

Aurum Facades are used across diverse applications but the most widely used facades or Exterior and Interior Grade Compact Laminates are Building Façades. Aurum Facades stand tall above all other ways of traditional building in the following ways.

Advantages of the non-bearing, rear-ventilated façades (VHF):

- Savings through the shorter scaffolding time.
- Installation under any weather conditions.
- Exact cost estimation of the façades is available.
- No disposal costs during the installation phase.
- Long maintenance intervals and low follow-up costs.
- Long-term value retention and appreciation of the building.



Interior Application



Exterior Application



Exterior Application




Assembly Parameters

AURUM FACADES come along with essential fasteners made using non-corrosive materials like Aluminium & Stainless Steel. A large head of these fasteners (rivets) are colour lacquered with epoxy paints so as to compliment the Aurum Facades range and are UV coated for better color fastening properties.

- Rivet body : Aluminum Alloy 5052
- Rivet Pin : 302 AISI
- Pull off strength of rivet pin: Min. 4626N & Max 5382N

Diameter of Drill Hole In Facades Panels:

- Sliding points: 8.5mm or as required
- Fixed points: 5.1mm
- Diameter of drill hole in the aluminium substructure: 5.1mm



The rivets must be put in place with a flexible mouthpiece, clearance 0.3 mm




AURUM FACADES



4.25 ft x 10 ft /
1300 mm x 3050 mm

Board Dimensions



Board Usage & Texture



Board Thickness

AURUM FACADES- Weight Information

Thickness	Width	Length	Weight
6mm	4.25ft / 1300mm	10ft / 3050mm	35kgs
8mm	4.25ft / 1300mm	10ft / 3050mm	46kgs
10mm	4.25ft / 1300mm	10ft / 3050mm	57kgs



arck office & school furniture

mixing business with pleasure

Arck Office & School Furniture

TEAM INTERIOR SOLUTIONS SCHOOL & OFFICE MODULAR FURNITURE - ARCK

Furniture changes the face of every room. It is that element that embellishes and enhances. Arck is the biggest name in modular school and office furniture and therefore understand that this need should be fulfilled without exacting too much time and energy. Yet make the space look contemporary, eye catching and comfortable. We bring you all this and more.






At Team Interior Solutions, we believe in manufacturing products with creative art technology and innovative ideas. For our Client's satisfaction is at the heart of our business.

Our products are extremely competitive in pricing and make it easy for our clients to tailor them to their needs.


We have delivered modular office furniture to various MNCs situated in Delhi, NCR and other parts of India. Serving esteemed clients to their utmost satisfaction, we have emerged as one of most preferred school & office modular furniture provider in India.



true colours



1001 Dust




1002AC Pure White




1003AC Frosty White




1004AC Mysori Ivory




1005AC Pearl Grey




1006AC Ivory



1007C Moon Stone



1008C Beige



1009AC Light Orange




1010AC Cardinal Red




1011AC Dark Grey



1012AC Electric Blue



1013AC Black




1014 Mud Ash




1015 Blush Pink



1016 Cream Yellow




1017 Bay




1018C Lime




1019C Viola




1020 Nebula




1021AC Wenge



1022AC Sapele




1023 Douglas Fur




1024 Oak




1025 Thansau Maple



1026 Brooks Walnut



1027 Hickory Oak



1028AC Highland Pine

our clients

TEAM INTERIOR SOLUTIONS has created an enviable niche as a restroom space management, Facades, School & Office Furniture company. Our fabulous range of products and streamlined services have garnered us several valued and prestigious projects and clients.

Our network of business associates has multiplied manifold because of each project that we have efficiently and successfully completed. Here listed below are some of the major projects we have dealt with great professionalism and an answer to why we are a name to reckon with.

- ◆ Central Vigilance Commission, Delhi.
- ◆ Delhi Metro Rail Corporation, Delhi
- ◆ Greenwood Research & Welfare Development and Educational Society, Haryana.
- ◆ Heritage Global School, Faridabad
- ◆ Shreejee International School, Sonapat
- ◆ M2K Entertainment Pvt. Ltd., Delhi
- ◆ S.I. Hotel & Resort, Jaipur
- ◆ Samsung, Noida
- ◆ Rishita Developers Pvt. Ltd., Lucknow
- ◆ ILD Integrated Services Pvt. Ltd., Gurgaon
- ◆ Shri Ram Global Pre School, Delhi.